

ΗΜΕΡΑ ΚΑΤΑΓΡΑΦΗΣ	394			8 22 30			0 1 15 30 43 42 31 22			ΘΕΡΜΟΚΡΑΣΙΕΣ			214													
	ΜΕΤΡΗΤΗΣ			KWh																						
	Δ ΗΜΕΡΕΣ	ΚΑΝΟΝΙΚΟ	ΜΕΙΩΜΕΝΟ	ΔΚ	ΔΜ	ΣΥΝΟΛΟ	ΗΜ. Μ.ΟΡΟΣ	% ΔΙΑΦΟΡΑ	K20 - M22 ∨ K20 - M23 K18 - M20 ∨ K18 - M21	min	max	24 ΩΡΕΣ - ΜΘ	kg - ΞΥΛΟ για Τζάκι	Hr - ΗΛΙΟΦΑΝΕΙΑ	min	24 ΩΡΕΣ - ΜΘ	Δ. ΘΕΡΜΟΚΡΑΣΙΑΣ (21)	24 ΩΡΕΣ - ΜΘ								
15/05/12	0	0							meteo.filyro.gr				12:00-16:30	416 Hr				tz	Θ	Θ						
													4,2 kwh	70%	940	2.764 kw	73	111	Hr 121,0	484 kw						
18/05/12	3	19	8	19	8	27	9		off																	
22/05/12	4	48	15	29	7	36	9	0,0	off																	
25/05/12	3	64	21	16	6	22	7	-18,5	off																	
30/05/12	5	97	30	33	9	42	8	14,5	off																	
06/06/12	7	138	41	41	11	52	7	-11,6	off																	
05/07/12	29	321	100	183	59	242	8	12,3	off																	
11/07/12	6	355	112	34	12	46	8	-8,1	off																	
13/07/12	2	370	116	15	4	19	10	23,9	off																	
19/07/12	6	410	130	40	14	54	9	-5,3	off																	
03/08/12	15	492	162	82	32	114	8	-15,6	off																	
21/08/12	18	574	193	82	31	113	6	-17,4	off																	
27/08/12	6	589	203	15	10	25	4	-33,6	off																	
29/08/12	2	625	209	36	6	42	21	404,0	off																	
17/09/12	19	745	252	120	43	163	9	-59,1	Θ1											1	1					
27/09/12	10	805	269	60	17	77	8	-10,2	ΔΕΗ																	
01/10/12	14	838	279	93	27	120	9	-0,1	off																	
11/10/12	10	897	298	59	19	78	8	-9,0	Θ1											1	1					
15/10/12	4	926	306	29	8	37	9	18,6	Θ1											1	1					
28/10/12	13	1009	332	83	26	109	8	-9,4	off																	
30/10/12	2	1026	335	17	3	20	10	19,3	Θ1											1	1					
01/11/12	2	1037	340	11	5	16	8	-20,0	on	12,8	15,2	13,9	0	0	13	13	8									
02/11/12	1	1046	356	9	16	25	25	212,5	Θ1	13,4	20,0	15,6	0	4	13	16	5			1	1					
03/11/12	1	1053	381	7	25	32	32	28,0	on	11,3	20,3	15,3	0	4	10	16	5			1						
04/11/12	1	1063	397	10	16	26	26	-18,8	Θ1	12,5	18,8	14,9	0	2	13	16	5			1	1					
05/11/12	1	1068	407	5	10	15	15	-42,3	on	12,8	19,3	15,4	0	4	13	16	5			1						
06/11/12	1	1074	418	6	11	17	17	13,3	on	14,6	22,2	17,5	0	4	16	16	5			1						
07/11/12	1	1080	438	6	20	26	26	52,9	on	5,8	16,5	12,5	0	4	7	13	8			1						
08/11/12	1	1091	449	11	11	22	22	-15,4	Θ2	3,7	13,2	7,6	0	8	4	7	14			1	2					
09/11/12	1	1099	479	8	30	38	38	72,7	on	5,7	13,5	9,1	0	4	7	10	11			1						
10/11/12	1	1106	506	7	27	34	34	-10,5	on	6,5	14,5	9,9	0	2,5	7	10	11			1						
11/11/12	1	1120	535	14	29	43	43	26,5	TZAKI	7,5	15,2	10,3	10	4	7	10	11			1						
12/11/12	1	1129	553	9	18	27	27	-37,2	Θ1	7,9	15,3	10,7	0	4	7	10	11			1	1					
13/11/12	1	1135	578	6	25	31	31	14,8	Θ2	8,7	16,2	11,3	0	4	10	10	11			1	2					
14/11/12	1	1143	612	8	34	42	42	35,5	Θ1	8,3	13,5	10,7	0	0	7	10	11			1	1					
15/11/12	1	1152	646	9	34	43	43	2,4	on	3,7	22,2	12,4	0	0,5	4	13	8			1						
16/11/12	1	1159	673	7	27	34	34	-20,9	TZAKI	10,4	13,4	11,5	10	0	10	10	11			1						
17/11/12	1	1165	707	6	34	40	40	17,6	Θ2	9,9	14,2	11,7	0	0,5	10	13	8			1	2					

ΗΜΕΡΑ ΚΑΤΑΓΡΑΦΗΣ	394			8 22 30			0 1 15 30 43 42 31 22			0 1 15 30 43 42 31 22			214			<-5 -5 0 4 7 10 13 16			tz	Θ	Θ			
	ΜΕΤΡΗΤΗΣ			KWh			ΘΕΡΜΟΚΡΑΣΙΕΣ			214			<-5 -5 0 4 7 10 13 16			tz	Θ	Θ						
	Δ ΗΜΕΡΕΣ	ΚΑΝΟΝΙΚΟ	ΜΕΙΩΜΕΝΟ	ΔΚ	ΔΜ	ΣΥΝΟΛΟ	ΗΜ. Μ.ΟΡΟΣ	% ΔΙΑΦΟΡΑ	K20 - M22 ∨ K20 - M23 K18 - M20 ∨ K18 - M21	min	max	24 ΩΡΕΣ - ΜΘ	kg - ΞΥΛΟ για Τζάκι	Hr - ΗΛΙΟΦΑΝΕΙΑ	min	24 ΩΡΕΣ - ΜΘ	Δ. ΘΕΡΜΟΚΡΑΣΙΑΣ (21)	24 ΩΡΕΣ - ΜΘ	Days -ΤΖΑΚΙ	Days - ΘΕΡΜΟΣΙΦΩΝΑΣ	Hr - ΘΕΡΜΟΣΙΦΩΝΑΣ			
15/05/12	0	0							meteo.filyro.gr			4,2 kwh	70%	940	2.764 kw		73	111						
26/12/12	1	1655	2390	15	60	75	75	1,4	TZ-01	3,9	10,8	7,0	14	4	4	7	14				1	1	1	
27/12/12	1	1663	2417	8	27	35	35	-53,3	Θ1	4,6	12,5	7,9	0	4	4	7	14				1	1	1	
28/12/12	1	1672	2472	9	55	64	64	82,9	Θ1	5,0	13,4	8,4	0	2	4	7	14				1	1	1	
29/12/12	1	1686	2520	14	48	62	62	-3,1	TZAKI	6,1	8,2	7,1	14	2	7	7	14				1	1	1	
30/12/12	1	1704	2589	18	69	87	87	40,3	Θ2	3,5	7,7	5,3	0	0	4	4	17				1	1	2	
31/12/12	1	1719	2639	15	50	65	65	-25,3	Θ1	3,2	6,6	5,1	0	2	4	4	17				1	1	1	
01/01/13	1	1736	2684	17	45	62	62	-4,6	Θ1	3,9	9,9	6,2	0	4	4	7	14				1	1	1	
02/01/13	1	1752	2737	16	53	69	69	11,3	TZ-01	4,6	10,5	7,2	12	2	4	7	14				1	1	1	
03/01/13	1	1764	2792	12	55	67	67	-2,9	TZ-01	4,0	11,1	6,7	12	2	4	7	14				1	1	1	
04/01/13	1	1776	2846	12	54	66	66	-1,5	on	2,9	11,1	6,8	0	3	4	7	14				1	1	1	
05/01/13	1	1786	2901	10	55	65	65	-1,5	Θ1	5,6	10,7	7,9	0	4	7	7	14				1	1	1	
06/01/13	1	1795	2961	9	60	69	69	6,2	Θ5	-0,5	6,1	3,1	0	4	0	4	17				1	1	0,5	
07/01/13	1	1802	3019	7	58	65	65	-5,8	TZ-01	-3,0	5,5	1,4	16	0	-5	0	21			1		1	1	1
08/01/13	1	1810	3072	8	53	61	61	-6,2	TZ-01	-5,3	1,1	-2,8	16	4	-5	-5	26		1			1	1	1
09/01/13	1	1823	3128	13	56	69	69	13,1	TZ-01	-5,6	1,0	-2,1	20	1	-5	0	21			1		1	1	1
10/01/13	1	1849	3185	26	57	83	83	20,3	TZ-02	-3,0	5,9	1,1	18	4	-5	0	21			1		1	1	2
11/01/13	1	1866	3245	17	60	77	77	-7,2	TZ-01	2,8	8,8	5,1	16	1	4	4	17				1	1	1	1
12/01/13	1	1882	3299	16	54	70	70	-9,1	TZ-01	-0,2	5,1	3,2	18	3	0	4	17				1	1	1	1
13/01/13	1	1901	3370	19	71	90	90	28,6	TZ-01	-1,8	7,6	2,8	21	4	0	4	17				1	1	1	1
14/01/13	1	1916	3423	15	53	68	68	-24,4	TZ-01	4,0	8,8	6,4	18	0	4	7	14				1	1	1	1
15/01/13	1	1926	3474	10	51	61	61	-10,3	TZ-02	6,5	12,8	9,5	19	2	7	10	11				1	1	1	2
16/01/13	1	1941	3525	15	51	66	66	8,2	Θ1	7,3	13,8	10,3	0	3	7	10	11				1	1	1	1
17/01/13	1	1949	3581	8	56	64	64	-3,0	TZAKI	4,8	10,2	8,0	14	0	4	7	14				1	1	1	1
18/01/13	1	1955	3637	6	56	62	62	-3,1	Θ2	5,3	11,9	9,0	0	1	4	10	11				1	1	2	2
19/01/13	1	1967	3692	12	55	67	67	8,1	Θ1	2,6	10,2	6,2	0	2	4	7	14				1	1	1	1
20/01/13	1	1977	3750	10	58	68	68	1,5	Θ1	4,6	14,1	8,9	0	1	4	10	11				1	1	1	1
21/01/13	1	1983	3809	6	59	65	65	-4,4	on	7,9	14,8	10,9	0	3	7	10	11				1	1	1	1
22/01/13	1	1989	3858	6	49	55	55	-15,4	Θ2	7,9	13,1	10,7	0	3	7	10	11				1	1	2	2
23/01/13	1	1996	3914	7	56	63	63	14,5	on	6,1	13,6	9,4	0	4	7	10	11				1	1	1	1
24/01/13	1	2001	3964	5	50	55	55	-12,7	TZ-01	5,3	9,3	7,1	16	0	4	7	14				1	1	1	1
25/01/13	1	2007	4014	6	50	56	56	1,8	TZ-01	4,5	9,9	6,8	14	0	4	7	14				1	1	1	1
26/01/13	1	2013	4069	6	55	61	61	8,9	TZ-01	0,5	6,9	3,1	18	0	0	4	17				1	1	1	1
27/01/13	1	2022	4142	9	73	82	82	34,4	TZ-01	-0,6	4,5	1,5	22	0	0	0	21			1		1	1	1
28/01/13	1	2032	4202	10	60	70	70	-14,6	on	0,8	7,6	3,7	0	4	0	4	17				1	1	1	1
29/01/13	1	2042	4252	10	50	60	60	-14,3	on	2,0	7,6	3,7	0	2	0	4	17				1	1	1	1
30/01/13	1	2050	4308	8	56	64	64	6,7	TZAKI	0,3	10,8	5,1	20	4	0	4	17				1	1	1	1
31/01/13	1	2055	4362	5	54	59	59	-7,8	TZ-01	4,5	10,1	6,8	14	0	4	7	14				1	1	1	1
01/02/13	1	2060	4417	5	55	60	60	1,7	Θ5	3,1	12,1	7,3	0	4	4	7	14				1	1	0,5	0,5

